

## 2014 Latest Oracle 1Z0-862 Exam Demo Free Download!

QUESTION 1 Which two statements are true about XML schemas and WSDL 1.1? (Choose two.) A. <http://schemas.xmlsoap.org/wsdl/> is the WSDL namespace for SOAP binding. B. xsi is used as a prefix to represent the schema namespace as defined by XSD C. XSD schemas are used as a formal definition of WSDL grammar. D. xsd is used as a prefix to represent the schema namespace as defined by XSD E. <http://schemas.xmlsoap.org/wsdl/http/> is the WSDL namespace for SOAP binding. Answer: CD

QUESTION 2 A company's new investment management Java application and a legacy stock trader application need to communicate, but they use different JMS implementations. A developer decides to implement a JMS bridge to solve the problem. Which two advantages does this pattern provide? (Choose two.) A. It converts the interface of a class into another interface that clients expect. B. It decouples an abstraction from its implementation so that the two can vary independently. C. It dynamically attaches additional responsibilities to an object. D. It optimizes network traffic. E. It is vendor independent. Answer: BE

QUESTION 3 Which situation requires the client to use the Dispatch interface to access the Web service? A. The client and the server are on different platforms. B. The client has access to the portable artifacts, but not to the WSDL. C. The client has access to the WSDL, but not to the portable artifacts. D. The client will access a REST-based service. Answer: D

QUESTION 4 What are two features of a WSDL 1.1 document? (Choose two.) A. Service defines a collection of related endpoints. B. Service describes the message's payload using XML. C. Service assigns an Internet address to a specific binding. D. Porttype declares complex data types and elements used elsewhere. E. Porttype elements are used to group a set of abstract operations. F. Porttype defines a concrete protocol and data format specification. Answer: AE

QUESTION 5 Which three can an EJB-based endpoint use? (Choose three.) A. HTTP sessions B. Java EE 5 declarative security C. Java EE 5 programmatic security D. client-demarcated transactions E. container-managed transactions Answer: BCE

QUESTION 6 What are two communication modes supported by JAX-WS? (Choose two.) A. Synchronous RPC B. Dynamic Service Binding C. Dynamic Proxy D. Endpoint Invocation E. Dispatch Answer: CE

QUESTION 7 A company is refactoring an existing website to use Web services clients. The application retrieves lists of parts and displays them to the users in a browser window. Previously, the data was stored as files on the web server and, in order to access the files, the user would simply click on a hyperlink. Now the data must be dynamically generated via a service that another developer has created. They want the easiest way to refactor their website to use Web services. Which three technologies should they use? (Choose three.) A. SOAP B. REST C. Javascript D. XML E. JSON F. Java Answer: BCE

QUESTION 8 A JAXR client has established connection with a UDDI registry and needs to get a service binding from the registry. What is required to accomplish this task? A. find the appropriate concept and then find the service binding associated with that concept B. find the appropriate authentication token and then find the service binding associated with that authentication token C. find the appropriate organization, get the tModel associated with that organization, and then find the service binding associated with the tModel D. find the appropriate organization, find the services associated with that organization, and then find the service binding associated with the service Answer: D

QUESTION 9 What are three benefits of using SSL to connect to a Web service without mutual authentication? (Choose three.) A. The server is assured of the client's identity if the client issues the certificate. B. The client is assured of the server's identity. C. Message integrity is preserved between the client and the server. D. The communication between the client and the server is still logged. E. The communication between the client and the server is encrypted. F. Using SSL over HTTP incurs less overhead than HTTPS. Answer: BCE

QUESTION 10 A developer is creating a servlet-based endpoint for a new payroll application. What are three requirements for the service? (Choose three.) A. It needs to be packaged as a WAR file. B. It needs to be packaged as a JAR file. C. It requires a META-INF folder. D. It requires a WEB-INF folder. E. webservices.xml is required. F. web.xml is required. Answer: ADF

QUESTION 11 A developer is creating an XML schema that is Basic Profile compliant, and has elements that require long integer values. Given the code: `<Schema targetNamespace="http://sun.cert/types" xmlns:ns0="http://www.w3.org/2001/XMLSchema" xmlns="http://www.w3.org/2001/XMLSchema" xmlns:xsd="http://sun.cert/xsdTypes" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"><complexType name="Foo"><sequence><!-- insert code here --></sequence></complexType></schema>` Assuming that no other namespace declarations exist, which two elements use the long type that is defined in the <http://www.w3.org/2001/XMLSchema> namespace? (Choose two.) A. `<element name="length" type="long"/>` B. `<element name="length" type="xsi:long"/>` C. `<element name="length" type="xsd:long"/>` D. `<element name="length" type="ns0:long"/>` E. `<element name="length" type="integer"/>` F. `<element name="length" type="xsd:integer"/>` Answer: AD

QUESTION 12 A developer needs to define an array of long integers in their Basic Profile compliant Web service and is given the following code fragment for analysis: `<Schema targetNamespace="http://sun.cert/types" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:soapenc="http://schemas.xmlsoap.org/soap/encoding/" xmlns:wsdl="`

<http://schemas.xmlsoap.org/wsdl/>> <!-- insert code here --> </schema> Assume all XML fragments are well-formed. According to the WS-I Basic Profile 1.1, which type definition can be used to define an array of longs? A. <xsd:complexType name="longArray" > <xsd:array> <xsd:element name="item" type="xsd:long"/> </xsd:array> </xsd:complexType> B. <xsd:complexType name="longArray" > <xsd:sequence> <element name="item" type="xsd:long"/> </xsd:sequence> </xsd:complexType> C. <xsd:complexType name="longArray" > <xsd:array> <xsd:element name="item" type="xsd:long" minOccurs="0" maxOccurs="unbounded"/> </xsd:array> </xsd:complexType> D. <xsd:complexType name="longArray" > <xsd:sequence> <xsd:element name="item" minOccurs="0" maxOccurs="5" type="xsd:long"/> </xsd:sequence> </xsd:complexType> E. <xsd:complexType name="longArray" > <xsd:sequence> <xsd:element name="item" minOccurs="0" maxOccurs="5" type="xsd:integer"/> </xsd:sequence> </xsd:complexType> Answer: D QUESTION 13 A developer is creating an XML schema using the xsd:all operator. Given the code: <types> <schema targetNamespace="<http://sun.cert/types>" xmlns:tns="<http://sun.cert/types>" xmlns:xsd="<http://www.w3.org/2001/XMLSchema>"> <xsd:complexType name="Person"> <xsd:all> <!-- insert code here --> </xsd:all> </xsd:complexType> </schema> </types> Which two element definitions, when inserted into the given schema fragment, result in a correct schema type definition? (Choose two.) A. <xsd:element name="first" type="xsd:string"/> B. <xsd:element name="items" type="xsd:long" maxOccurs="5"/> C. <xsd:element name="last" type="xsd:string" minOccurs="1" maxOccurs="1"/> D. <xsd:element name="first" type="xsd:string" minOccurs="0" maxOccurs="5"/> E. <xsd:element name="last" type="xsd:string" minOccurs="1" maxOccurs="5"/> F. <xsd:element name="ssn" type="xsd:string" minOccurs="1" maxOccurs="unlimited"/> Answer: AC QUESTION 14 A developer must create a new stock monitoring application using SOAP. Given the code: <s:Envelope xmlns:s="<http://schemas.xmlsoap.org/soap/envelope/>" xmlns:xsi="<http://www.w3.org/2001/XMLSchema-instance>" xmlns:xsd="<http://www.w3.org/2001/XMLSchema>" xmlns:ns1="<http://sun.cert/>" > <s:Header> <ns1:transaction> <user>root</user> <transid>9b3e64e326537b4e8c0ff19e953f9673</transid> </ns1:transaction> </s:Header> <s:Body> <m:StockQuote xmlns:m="<http://sun.cert/bar/>" > <Quote> <ns1:symbol>SUNW</ns1:symbol> <ns1:companyname name="Sun"/> </Quote> </s:Body> </s:Envelope> Which statement is true about this SOAP message? A. It is NOT well-formed. B. It contains a mandatory header block. C. It is WS-I Basic Profile 1.1 compliant. D. It does NOT contain the correct namespace declarations. E. The transid should be blowfish encrypted. F. <http://sun.cert/bar/> is not a valid stock quote service. Answer: A QUESTION 15 A team of developers is describing a set of endpoints in their new SOA application. Given the WSDL extract: <service name="InventoryServices" > <port name="PurchaseOrder" binding="tns:POBinding" > <soap:address location="<http://192.168.0.2:8080/inventory/>" > </port> <port name="Invoice" binding="tns:InvoiceBinding" > <soap:address location="<http://192.168.0.2:8080/inventory/>" > </port> </service> Which statement is true about this WSDL extract? A. The extract is WS-I Basic Profile 1.1 compliant because both port element names are different. B. The extract is NOT WS-I Basic Profile 1.1 compliant because both port elements point to the same location. C. The extract is WS-I Basic Profile 1.1 compliant because both port elements point to different binding elements. D. The extract is NOT WS-I Basic Profile 1.1 compliant because it contains two port elements in the same service. E. The extract is WS-I Basic Profile 1.1 conformant because both port element names are different. F. The extract is WS-I Basic Profile 1.1 conformant because the port, binding, and service element combinations are unique. Answer: B Passing your Oracle **1Z0-862** Exam by using the latest **1Z0-862** Exam Dump Full Version: <http://www.braindump2go.com/1z0-862.html>